

RINNAI INBUILT ROYALE ZERO CLEARANCE KIT

Rinnai

INSTALLATION INSTRUCTIONS

If the heater is to be installed into a combustibile opening, the Rinnai Zero Clearance Kit ZEROR must be used.

Product Code: ZEROR/71-7002

PARTS LISTS

Quantity	Description
1	Base Panel
2	Side Panel
1	Rear Panel
1	Top Panel
2	Base Support Runner
1	Plinth
1 pkt	Screws (20 x Zinc)

INSTRUCTIONS

Build Frame as per Figure 1.

Zero Clearance Box Assembly / Installation

STEPS

1. Lie base panel on floor with return fold upwards.
2. Stand side panels on inside of base panel with fold to the back as shown in Figure 2.
3. Slide back panel between side panels, ensuring gas inlet hole is in the bottom right corner.
4. Place top panel with the large fold, forward and upward, and the flue outlet to the rear.
5. Box should now be stable enough to stand on its own.
6. Using the self-tapping screws, secure panels in holes provided.
7. Run gas line to appropriate position.
8. Zero clearance box can now be secured to framing using the slotted holes provided.




Figure 1.





Figure 2

RINNAI INBUILT ROYALE ZERO CLEARANCE KIT

INSTALLATION INSTRUCTIONS



1. Fix the retaining brackets in place in the position shown.
2. On the heater, remove the top right and left hand screws on the Fascia panel and remove the top and left hand screws on the fascia panel and remove the top fascia. This allows access to be able to install and affix the flue collar.

Flue System

The flue system used should be the Rinnai FLFKIT02 / FLFKIT03.

- Install flue system in accordance with Instructions supplied with Flue Kits.
- Install heater in accordance with instructions supplied with Heater.

Note: Pay particular attention to making the correct connection between heater flue spigot and flue.

This appliance shall be installed in accordance with:

- Manufacturer's Installation Instructions
- Local Gas Fitting Regulations
- Municipal Building Codes
- AGA Installation Code AS5601/AG601 Gas Installations
- Any other local relevant Statutory Regulation

Installation and Service must be performed by an authorised person.

*If you require further information please call Rinnai Customer Care Centre **1300 366 388***

Rinnai
AUSTRALIA PTY. LTD.
ACN 005 138 769 ABN 74 005 138 769
10-11 Walker Street, Braeside, Vic 3195